

Quellen

- (1) Obermeier, B., Verma, A., & Ransohoff, R. M. (2016). The blood–brain barrier. *Autoimmune Neurology*, 39–59. doi:10.1016/b978-0-444-63432-0.00003-7
- (2) Nobmann S, Isolierte Gehirn-Kapillaren als in-vitro-Model der Blut-Hirn-Schranke, Dissertation zur Erlangung der Doktorwürde, 06. Juli 2001.
- (3) Wenzel Jan, Schwaninger Markus, Die Blut-Hirn-Schranke und ihre Regulation durch NF- κ B-Signalwege, *Neuroforum* 2016, 22:33–44 DOI 10.1007/s12269-016-0038-4.
- (4) Haorah, J., B. Knipe, et al. “Alcohol-induced blood-brain barrier dysfunction is mediated via inositol 1,4,5-triphosphate receptor (IP3R)-gated intracellular calcium release.” *Journal of Neurochemistry* 100, no. 2 (2007): 324-326.
- (5) Singh AK et al, Effects of chronic ethanol drinking on the blood–brain barrier and ensuing neuronal toxicity in alcohol-preferring rats subjected to intraperitoneal LPS injection, *Alcohol and Alcoholism*, Volume 42, Issue 5, September 2007, Pages 385–399.
- (6) Mazzone P et al, Pathophysiological Impact of Cigarette Smoke Exposure on the Cerebrovascular System with a Focus on the Blood-brain Barrier: Expanding the Awareness of Smoking Toxicity in an Underappreciated Area, *International Journal of Environmental Research and Public Health*, 2010 Dec; 7(12): 4111–4126.
- (7) Hawkins, B.T., T.J. Abbruscato, et al. “Nicotine increases in vivo blood-brain barrier permeability and alters cerebral microvascular tight junction protein distribution.” *Brain Research* 1-2 (2004): 48-58.
- (8) Lochhead JJ et al, Oxidative stress increases blood-brain barrier permeability and induces alterations in occludin during hypoxia-reoxygenation, *Journal of Cerebral Blood Flow and Metabolism*, 2010 Sep;30(9):1625-36.
- (9) Song D et al, Oxidative Stress-Mediated Blood-Brain Barrier (BBB) Disruption in Neurological Diseases, *Oxidative Medicine and Cellular Longevity*, 2020, Article ID 4356386, 27 pages, 2020.
- (10) Tang J et al, Exposure to 900 MHz electromagnetic fields activates the mcp-1/ERK pathway and causes blood-brain

barrier damage and cognitive impairment in rats, *Brain Research*, 2015 Mar 19;1601:92-101.

- (11) Sirav B und Seyhan N, Blood-brain barrier disruption by continuous-wave radio frequency radiation, *Electromagnetic Biology and Medicine*, 2009;28(2):215-22.
- (12) Hawkins RA, The blood-brain barrier and glutamate, *The American Journal of Clinical Nutrition*, 2009 Sep; 90(3): 867S–874S.
- (13) Hermanussen M, García AP, Sunder M, Voigt M, Salazar V, Tresguerres JA. Obesity, voracity, and short stature: the impact of glutamate on the regulation of appetite. *Eur J Clin Nutr*. 2006 Jan;60(1):25-31. doi: 10.1038/sj.ejcn.1602263. PMID: 16132059.
- (14) Christian-Albrechts-Universität zu Kiel, unizeit, Gierig nach Glutamat, Stand: 08.04.2006.
- (15) Choudhary AK, Pretorius E. Revisiting the safety of aspartame. *Nutr Rev*. 2017 Sep 1;75(9):718-730. doi: 10.1093/nutrit/nux035. Erratum in: *Nutr Rev*. 2018 Apr 1;76(4):301. Erratum in: *Nutr Rev*. 2018 Nov 1;76(11):860. PMID: 28938797.
- (16) Slanina P, French W, Ekstrom LG, Loof L, Slorach S, Cedergren A: Dietary citric acid enhances absorption of aluminum in antacids. *Clin Chem*, 1986; 32: 539.
- (17) Wang, L. (2018). Entry and Deposit of Aluminum in the Brain. *Neurotoxicity of Aluminum*, 39–51. doi:10.1007/978-981-13-1370-7_3
- (18) Snel J und Lorist MM, Effects of caffeine on sleep and cognition, *Progress in Brain Research*, 2011;190:105-17.
- (19) Chen X et al, Caffeine protects against disruptions of the blood-brain barrier in animal models of Alzheimer's and Parkinson's disease, *Journal of Alzheimer's disease*, 2010; 20(Suppl 1): S127–S141.
- (20) Mazieiro, R., R.R. Frizon, et al. "Is Curcumin a Possibility to Treat Inflammatory Bowel Diseases?" *Journal of Medicinal Food* 21, no. 11 (2018): 1077-1085.
- (21) Eckert Gunter et al. Geistig fit durch mediterrane Kost? *Forschung Frankfurt* 1/2003.
- (22) Alfieri, A., Srivastava, S., Siow, R. C. M., Cash, D., Modo, M., Duchon, M. R., ... Mann, G. E. (2013). Sulforaphane preconditioning of the Nrf2/HO-1 defense pathway protects the cerebral vasculature against blood–brain barrier disruption and

neurological deficits in stroke. *Free Radical Biology and Medicine*, 65, 1012–1022.

- (23) Dash PK et al, Sulforaphane improves cognitive function administered following traumatic brain injury, *Neuroscience Letters*, 2009 Aug 28; 460(2): 103–107.
- (24) Sun Y et al, Sulforaphane Protects against Brain Diseases: Roles of Cytoprotective Enzymes, *Austin Journal of Cerebrovascular Diseases & Stroke*, 2017; 4(1): 1054.
- (25) Grimmig, B., Kim, S. H., Nash, K., Bickford, P. C., & Douglas Shytle, R. (2017). Neuroprotective mechanisms of astaxanthin: a potential therapeutic role in preserving cognitive function in age and neurodegeneration. *GeroScience*, 39(1), 19-32.
- (26) Fanaee-Danesh, E., Gali, C. C., Tadic, J., Zandl-Lang, M., Kober, A., Agujetas, V. R., ... Panzenboeck, U. (2019). Astaxanthin exerts protective effects similar to bexarotene in Alzheimer's disease by modulating amyloid beta and cholesterol homeostasis in blood-brain barrier endothelial cells. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*.
- (27) Galasso C, Orefice I, Pellone P, Cirino P, Miele R, Ianora A, Brunet C, Sansone C. On the Neuroprotective Role of Astaxanthin: New Perspectives? *Mar Drugs*. 2018 Jul 24;16(8):247.
- (28) Uwe Gröber: α -Liponsäure bei Alzheimer-Demenz, *Deutsche Apotheker Zeitung*, abgerufen am: 23.11.2020.
- (29) Lebda MA, Sadek KM, Tohamy HG, Abouzed TK, Shukry M, Umezawa M, El-Sayed YS. Potential role of α -lipoic acid and Ginkgo biloba against silver nanoparticles-induced neuronal apoptosis and blood-brain barrier impairments in rats. *Life Sci*. 2018 Nov 1;212:251-260.
- (30) James M Stringham, Elizabeth J Johnson, B Randy Hammond, Lutein across the Lifespan: From Childhood Cognitive Performance to the Aging Eye and Brain, *Current Developments in Nutrition*, Volume 3, Issue 7, July 2019.
- (31) Erdmann et al. Lutein and Brain Function, *Foods* 2015, 4(4), 547-564.
- (32) Dando SJ et al, Pathogens Penetrating the Central Nervous System: Infection Pathways and the Cellular and Molecular Mechanisms of Invasion, *Clinical Microbiology Reviews*, 2014 Oct; 27(4): 691–726.

- (33) Danielski, L. G., Giustina, A. D., Badawy, M., Barichello, T., Quevedo, J., Dal-Pizzol, F., & Petronilho, F. (2017). Brain Barrier Breakdown as a Cause and Consequence of Neuroinflammation in Sepsis. *Molecular Neurobiology*, 55(2), 1045–1053.
- (34) Bogush, M., Heldt, N. A., & Persidsky, Y. (2017). Blood Brain Barrier Injury in Diabetes: Unrecognized Effects on Brain and Cognition. *Journal of Neuroimmune Pharmacology*, 12(4), 593–601. doi:10.1007/s11481-017-9752-7.
- (35) Prasad S, Sajja RK, Naik P, Cucullo L. Diabetes Mellitus and Blood-Brain Barrier Dysfunction: An Overview. *J Pharmacovigil*. 2014;2(2):125. doi:10.4172/2329-6887.1000125.
- (36) Jung & Parkinson, Blut-Hirn-Schranke, abgerufen am: 23.11.2020.
- (37) Ortiz, G. G., Pacheco-Moisés, F. P., Macías-Islas, M. Á., Flores-Alvarado, L. J., Mireles-Ramírez, M. A., González-Renovato, E. D., ... Alatorre-Jiménez, M. A. (2014). Role of the Blood–Brain Barrier in Multiple Sclerosis. *Archives of Medical Research*, 45(8), 687–697.
- (38) Prof. Dr. Gert Frischer, Auf Umwegen zum Ziel, Universität Heidelberg, abgerufen am 23.11.2020.
- (39) Nobmann S, Isolierte Gehirn-Kapillaren als in-vitro-Model der Blut-Hirn-Schranke, Dissertation zur Erlangung der Doktorwürde, 06. Juli 2001.
- (40) Pardridge WM, Drug transport across the blood–brain barrier, *Journal of Cerebral Blood Flow & Metabolism*, 2012 Nov; 32(11): 1959–1972.
- (41) Science Daily, Unlocking the barrier: Surprising role of omega-3 fatty acids in keeping the blood-brain barrier closed, Stand: 05.05.2017.
- (42) Benjamin J. Andreone, Brian Wai Chow, Aleksandra Tata, Baptiste Lacoste, Ayal Ben-Zvi, Kevin Bullock, Amy A. Deik, David D. Ginty, Clary B. Clish, Chenghua Gu. Blood-Brain Barrier Permeability Is Regulated by Lipid Transport-Dependent Suppression of Caveolae-Mediated Transcytosis. *Neuron*, 2017; 94 (3): 581.
- (43) HealthandScience: Omega-3-Fettsäuren schützen das Gehirn, indem sie die Blut-Hirn-Schranke geschlossen halten, Stand: 05.12.2017.

- (44) Kirkland, A., Sarlo, G., & Holton, K. (2018). The Role of Magnesium in Neurological Disorders. *Nutrients*, 10(6), 730. doi:10.3390/nu10060730.
- (45) Universität Stuttgart : Die Ernährung für unser Gehirn, Sammelband der Newsletterreihe 2013/14.
- (46) Zhu D, Su Y, Fu B, Xu H. Magnesium Reduces Blood-Brain Barrier Permeability and Regulates Amyloid- β Transcytosis. *Mol Neurobiol*. 2018 Sep;55(9):7118-7131. doi: 10.1007/s12035-018-0896-0. Epub 2018 Jan 30. PMID: 29383689.
- (47) Convit A et al., "Obesity-mediated inflammation may damage the brain circuit that regulates food intake, *Brain Research*, Februar 2011.
- (48) Felice N. Jacka, Nicolas Cherbuin, Kaarin J. Anstey, Perminder Sachdev and Peter Butterworth, Western diet is associated with a smaller hippocampus: a longitudinal investigation, *BMC Medicine*, September 2015.
- (49) Tabung FK, Liu L, Wang W, Fung TT, Wu K, Smith-Warner SA, Cao Y, Hu FB, Ogino S, Fuchs CS, Giovannucci EL. Association of Dietary Inflammatory Potential With Colorectal Cancer Risk in Men and Women. *JAMA Oncol*. 2018 Mar 1;4(3):366-373. doi: 10.1001/jamaoncol.2017.4844. Erratum in: *JAMA Oncol*. 2019 Apr 1;5(4):579.
- (50) Exzellenzcluster Entzündungsforschung: Ernährung und Entzündung, abgerufen am: 23.11.2020.
- (51) Banks WA, Kastin AJ, Broadwell RD. Passage of cytokines across the blood-brain barrier. *Neuroimmunomodulation*. 1995 Jul-Aug;2(4):241-8. doi: 10.1159/000097202. PMID: 8963753.
- (52) Yang C, Hawkins KE, Doré S, Candelario-Jalil E. Neuroinflammatory mechanisms of blood-brain barrier damage in ischemic stroke. *Am J Physiol Cell Physiol*. 2019 Feb 1;316(2):C135-C153. doi: 10.1152/ajpcell.00136.2018. Epub 2018 Oct 31. PMID: 30379577; PMCID: PMC6397344.
- (53) Evrensel, A. & Ceylan, M. E. (2015, December). The Gut-Brain Axis: The Missing Link in Depression. *Clinical Psychopharmacology and Neuroscience*, 13(3): 239–244, doi: 10.9758/cpn.2015.13.3.239
- (54) Logsdon Aric et al. Gut reactions: How the blood–brain barrier connects the microbiome and the brain, *Experimental*

Biology and Medicine 2017; 0: 1–7. DOI:
10.1177/1535370217743766.

- (55) He, Junyun, H. Hsueh, et al. “Sleep Restriction Impairs Blood-Brain Barrier Function.” *The Journal of Neuroscience* 34, no. 44 (2014): 14697-14706.
- (56) Watson NF, Badr MS, Belenky G, et al. Recommended Amount of Sleep for a Healthy Adult: A Joint Consensus Statement of the American Academy of Sleep Medicine and Sleep Research Society. *Sleep*. 2015;38(6):843-844. Published 2015 Jun 1. doi:10.5665/sleep.4716.
- (57) Karagkouni A, Alevizos M, Theoharides TC. Effect of stress on brain inflammation and multiple sclerosis. *Autoimmun Rev*. 2013 Aug;12(10):947-53. doi: 10.1016/j.autrev.2013.02.006. Epub 2013 Mar 26. PMID: 23537508.
- (58) Esposito, P., D. Gheorghe, et al. “Acute stress increases permeability of the blood-brain-barrier through activation of brain mast cells.” *Brain Research* 888, no. 1 (2001): 117-127.
- (59) Esposito, P., Gheorghe, D., Kandere, K., Pang, X., Connolly, R., Jacobson, S., & Theoharides, T. C. (2001). Acute stress increases permeability of the blood–brain-barrier through activation of brain mast cells. *Brain Research*, 888(1), 117–127. doi:10.1016/s0006-8993(00)03026-2.
- (60) Prof. Dr. med. Peter Rieckmann, Die ungeahnten Möglichkeiten der Regeneration, *Frankfurter Allgemeine Zeitung*, 22.10.2018.
- (61) Barr JL, Brailoiu GC, Abood ME, Rawls SM, Unterwald EM, Brailoiu E. Acute cocaine administration alters permeability of blood-brain barrier in freely-moving rats- Evidence using miniaturized fluorescence microscopy. *Drug Alcohol Depend*. 2020 Jan 1;206:107637.
- (62) Sharma HS, Ali SF. Acute administration of 3,4-methylenedioxymethamphetamine induces profound hyperthermia, blood-brain barrier disruption, brain edema formation, and cell injury. *Ann N Y Acad Sci*. 2008 Oct;1139:242-58.
- (63) Shen, Y., Kapfhamer, D., Minnella, A.M. et al. Bioenergetic state regulates innate inflammatory responses through the transcriptional co-repressor CtBP. *Nat Commun* 8, 624 (2017).

